

RF Concepts Ltd

www.rfconcepts.co.uk



[Large View](#)

AVerDiGi EB 1304 NET


AVerMedia proudly launched our versatile AVerDiGi EB1304 NET to provide you

Multiplex function to meet your demand,
Outstanding technology software,
Remote access through the internet,
Easy to operate and backup.

With one EB1304 NET to complete all you need.

[Learn More!](#)

- Product Performance
- Major Features
- Specifications
- Hardware Recommendation



Product Performance

Item	EB 1304 NET
Video input	4
VGA output	1
TV output	1
Audio input/ output	1
Sensor input	4
Relay output	1
Display Rate (NTSC/PAL)	120 / 100 fps
Recording Rate(NTSC/ PAL)	120 / 100 fps
USB Port	1

[top ↑](#)

Major Features

- Support Central Management System
- Support Pen-drive/ External HDD backup
- Support PDA Viewer with video & audio
- Support Remote Console
- Motion Detection recording
- Multiplex: Recording, Playback, and Networking
- Auto scan: set different switch time for each channel
- Remote control DVR without glitch

[top ↑](#)

Specifications

- 4 composite video inputs (BNC connector)
- 1 Composite & 1 VGA outputs
- Video compression: MPEG4
- Video Format: NTSC and PAL
- 1 channel audio input/output
- Display resolution: 720 x 480/720 x 576 (NTSC/PAL)
- Display frame rate: Total 120/100 fps (NTSC/PAL)
- Hue/Brightness/contrast/Saturation adjustable
- Recording resolution:
 - -Full D1: 720 x 480/720 x 576 (NTSC/PAL)
 - -CIF: 360 x 240/360 x 288 (NTSC/PAL)
- Recording frame rate
 - Full D1: 60/50 fps (NTSC/PAL)
 - CIF: 120/100 fps (NTSC/PAL)
- Recording mode:
 - Schedule recording (00:00~24:00 set by hour)
 - Continuous /Motion / Sensor recording
- Auto recycle recording
- Auto record enabling
- Remote access:
 - Support CMS

- Support PDA Viewer (with video & audio)
 - Support Remote Console & Web Viewer
- Password authentication mechanism
- Playback Mode:
 - Video search by date/time/event
 - 4096 event lists for easy search
 - A-B video repeat playback
- Free Playback Application Software:
 - Playback from Pen drive/ External HDD
 - Playback and backup on any PC with Windows 2000/XP
 - Converting files to AVI format enabling to playback on Windows Media Player
 - Provide Video Enhancer for better video quality
 - Video segment selectable for repeating playback and backup
 - Enabling quick HDD to HDD backup
 - Watermark function for image verification
- I/O
 - 4 Sensor inputs
 - 1 Relay output controlling alarm, lock, light, or other devices
- Operating Temperature: 0~55 °C
- Dimension: (L)290mmx(M)180mmx(H) 52mm