


FUHO Star Lighting DNR Color camera


FUM-630



FEATURE

- ❖ High quality with multi-function high pixel
- ❖ 1/3" SONY CCD image sensor
- ❖ Max. 650TVL
- ❖ Customized OSD languages available
- ❖ Star Lighting, color at night
- ❖ DNR (Digital Noise Reduction)
- ❖ Privacy Masking
- ❖ Motion Detection
- ❖ Camera ID setting
- ❖ Auto Voltage

REAR PANEL



SPECIFICATIONS

Mode	NTSC	PAL
Pick Up Element	1/3" CCD Image Sensor	
Image Signal Process	Digital Signal Processing System	
Number Of Pixel	768 (H) × 494 (V)	752 (H) × 582 (V)
Picture Elements	Approximately 380K	Approximately 440K
Horizontal Resolution	Approximately 650 TV Lines	
Power Supply	AC24V / DC12V	
Current Consumption	160 mA	
Synchronization	Internal	
Scanning System	2 : 1 Interlace	
Sensitivity	0.001 LUX	
S/n Ratio	Max 66 dB	
O.S.D	Built-In	
Electronic Shutter	AUTO: 1/60S TO 1/120,000S	AUTO: 1/50S TO 1/120,000S
Auto White Balance (awb)	ATW / AWC / MANUAL(1800°K~10500°K)	
Back Light Compensation (blc)	OFF / LOW / MIDDLE / HIGH	
Auto Gain Control (agc)	OFF / LOW / MIDDLE / HIGH	
Digital Noise Reduction (dnr)	OFF / LOW / MIDDLE / HIGH	
Sensitivity Up Control (sens-up)	ON / OFF (X2, X4, X6, X8, X10, X12, X14, X16, X24, X32, X64, X128)	
Mirror	ON / OFF	
Sharpness	ON / OFF (0~31)	
Auto Iris	DC DRIVE / VIDEO DRIVE	
Output	1 Vp-p Composite Video Output, 75 Ohms	
Lens Mount	C / CS	
Operating Temperature	- 5°C ~ +40°C / less than 70%	
Dimensions	L : 124mm W : 66mm H : 54mm	
Weight	About 295 g	